

What can MariaDB developers learn from Debian and Ubuntu Quality Assurance systems?

June 27th 2018
Developer Unconference, Finland



packages.debian.org
packages.ubuntu.com

<https://packages.debian.org/search?lang=en&suite=all&searchon=names&keywords=mariadb>

PACKAGES
[About Debian](#) [Getting Debian](#) [Support](#) [Developers' Corner](#)

debian / packages / package search results

Search package names mariadb All options

Limit to suite: [wheezy] [wheezy-updates] [wheezy-backports] [wheezy-backports-sloopy] [jessie] [jessie-updates] [jessie-backports] [jessie-backports-sloopy]
[stretch] [stretch-updates] [stretch-backports] [buster] [sid] [experimental]

Limit to a architecture: [alpha] [amd64] [arm] [arm64] [armhf] [avr32] [bpo] [hurd-i386] [i386] [ia64] [kfreebsd-amd64] [kfreebsd-i386] [m68k] [mips]
[mips64el] [mipsel] [powerpc] [ppc64] [ppc64el] [s390] [s390x] [sh4] [sparc] [sparc64] [x32]

You have searched for packages that names contain *mariadb* in all suites, all sections, and all architectures. Found 67 matching packages.

67 binary packages

Package libmariadb-client-lgpl-dev

- [jessie \(oldstable\)](#) (libdevel): MariaDB Client Library for C, development files
2.0.0-1: amd64 arm64 armel armhf i386 mips mipsel powerpc ppc64el s390x
- [stretch \(stable\)](#): Virtual package provided by: [libmariadb-dev](#)
- [buster \(testing\)](#): Virtual package provided by: [libmariadb-dev](#)
- [sid \(unstable\)](#) (libdevel): MariaDB Client Library for C, development files
2.0.0-1 [debports]: arm64
also provided by: [libmariadb-dev](#)

Package libmariadb-client-lgpl-dev-compat

- [jessie \(oldstable\)](#) (libdevel): MariaDB Client Library for C, compatibility symlinks
2.0.0-1: amd64 arm64 armel armhf i386 mips mipsel powerpc ppc64el s390x
- [stretch \(stable\)](#): Virtual package provided by: [libmariadb-dev-compat](#)
- [buster \(testing\)](#): Virtual package provided by: [libmariadb-dev-compat](#)
- [sid \(unstable\)](#) (libdevel): MariaDB Client Library for C, compatibility symlinks
2.0.0-1 [debports]: arm64
also provided by: [libmariadb-dev-compat](#)

Package libmariadb-dev

- [stretch \(stable\)](#) (libdevel): MariaDB Connector/C, development files
2.3.2-2: amd64 arm64 armel armhf i386 mips mipsel ppc64el s390x
- [buster \(testing\)](#) (libdevel): MariaDB Connector/C, development files
2.3.3-1: amd64 arm64 armel armhf i386 mips mipsel ppc64el s390x

<https://packages.ubuntu.com/search?lang=en&suite=all&searchon=names&keywords=mariadb>

mariadb Search All options package names

37 binary packages

ubuntu® packages

» Ubuntu » Packages » Package Search Results

Search in specific suite: [trusty] [trusty-updates] [trusty-backports] [xenial] [xenial-updates] [xenial-backports] [artful] [artful-updates] [artful-backports]
[bionic] [bionic-updates] [bionic-backports] [cosmic]

Limit search to a specific architecture: [i386] [amd64] [powerpc] [arm64] [armhf] [ppc64el] [s390x]

You have searched for packages that names contain *mariadb* in all suites, all sections, and all architectures. Found 37 matching packages.

Package libmariadb-client-lGPL-dev

- [xenial \(16.04 LTS\)](#) (libdevel): MariaDB Client Library for C, development files [universe]
2.0.0-1: amd64 arm64 armel armhf i386 powerpc ppc64el s390x
- [artful \(17.10\)](#): Virtual package provided by: [libmariadb-dev](#)
- [bionic \(18.04 LTS\)](#): Virtual package provided by: [libmariadb-dev](#)
- [cosmic](#): Virtual package provided by: [libmariadb-dev](#)

Package libmariadb-client-lGPL-dev-compat

- [xenial \(16.04 LTS\)](#) (libdevel): MariaDB Client Library for C, compatibility symlinks [universe]
2.0.0-1: amd64 arm64 armel armhf i386 powerpc ppc64el s390x
- [artful \(17.10\)](#): Virtual package provided by: [libmariadb-dev-compat](#)
- [bionic \(18.04 LTS\)](#): Virtual package provided by: [libmariadb-dev-compat](#)
- [cosmic](#): Virtual package provided by: [libmariadb-dev-compat](#)

Package libmariadb-dev

- [artful \(17.10\)](#) (libdevel): MariaDB Connector/C, development files [universe]
2.3.3-1: amd64 arm64 armel armhf i386 ppc64el s390x
- [bionic \(18.04 LTS\)](#) (libdevel): MariaDB Connector/C, development files [universe]
3.0.3-1build1: amd64 arm64 armhf i386 ppc64el s390x
- [cosmic](#) (libdevel): MariaDB Connector/C, development files [universe]
1:3.0.3-2: amd64 arm64 armhf i386 ppc64el s390x

Package libmariadb-dev-compat

- [artful \(17.10\)](#) (libdevel): MariaDB Connector/C, compatibility symlinks [universe]
2.3.3-1: amd64 arm64 armel armhf i386 ppc64el s390x
- [bionic \(18.04 LTS\)](#) (libdevel): MariaDB Connector/C, compatibility symlinks [universe]



Source packages: salsa.debian.org

- mariadb-10.1
- mariadb-10.0
- mariadb-5.5
- mariadb-connector-c
- galera-3

The screenshot shows a web browser window with the URL <https://salsa.debian.org/mariadb-team/>. The page title is "MariaDB and MySQL Packaging Team". It displays a list of source packages with their details:

Package	Description	Last updated
mariadb-10.1	MariaDB 10.1 Packaging (migrated from https://anonscm.debian.org/cgit/pkg-mysql/mariadb-10.1.git)	3 months ago
mariadb-connector-c	MariaDB Connector C Packaging (migrated from https://anonscm.debian.org/cgit/pkg-mysql/mariadb-connector-c.git)	3 months ago
mariadb-10.0	MariaDB 10.0 Packaging (migrated from https://anonscm.debian.org/cgit/pkg-mysql/mariadb-10.0.git)	3 months ago
mariadb-5.5	MariaDB 5.5 Packaging (migrated from https://anonscm.debian.org/cgit/pkg-mysql/mariadb-5.5.git)	3 months ago
galera-3	Galera 3 Packaging (migrated from https://anonscm.debian.org/cgit/pkg-mysql/galera-3.git)	3 months ago
mysql	MySQL 5.7 Packaging, including package mysql-common (migrated from https://anonscm.debian.org/cgit/pkg-mysql/mysql.git)	3 weeks ago
mysql-5.5	MySQL 5.5 Packaging (migrated from https://anonscm.debian.org/cgit/pkg-mysql/mysql-5.5.git)	3 months ago
mysql-5.6	MySQL 5.6 Packaging (migrated from https://anonscm.debian.org/cgit/pkg-mysql/mysql-5.6.git)	3 months ago
mysql-connector-cpp		2 months ago



Linux distributions love stability, standards and quality!

Debian Policy Manual
debian.org/doc/debian-policy/
(150 pages if printed)

Developers' manuals

- [Debian Policy Manual](#)
- [Debian Developer's Reference](#)
- [Guide for Debian Maintainers](#)
- [Debian New Maintainers' Guide](#)
- [Introduction to Debian packaging](#)
- [Debian Menu System](#)
- [Introduction to i18n](#)
- [Debian Installer internals](#)
- [Guide for database using package maintainers](#)
- [Policy for packages using databases](#)



MariaDB release flow in Debian

mariadb-10.1: All files - gitk

File Edit View Help

upstream/10.1.31 upstream New upstream version 1 Otto Kekäläinen <otto@debian.org> 2018-02-27 00:58:05
upstream/10.1.30 remotes/alioth Upstream remotes/o New upstream version 10.1.29 Otto Kekäläinen <otto@debian.org> 2017-12-28 23:16:33
upstream/10.1.29 New upstream version 10.1.29 Ondřej Surý <ondrej@debian.org> 2017-11-16 17:14:22
upstream/10.1.28 New upstream version 10.1.28 Ondřej Surý <ondrej@debian.org> 2017-10-06 21:48:00
upstream/10.1.26 New upstream version 10.1.26 Ondřej Surý <ondrej@debian.org> 2017-08-10 21:36:38
upstream/10.1.25 New upstream version 10.1.25 Otto Kekäläinen <otto@debian.org> 2017-07-05 23:16:25
upstream/10.1.24 New upstream version 10.1.24 Ondřej Surý <ondrej@debian.org> 2017-06-05 15:33:32
upstream/10.1.23 New upstream version 10.1.23 Ondřej Surý <ondrej@debian.org> 2017-05-04 05:03:27

SHA1 ID: 5a2d98539a360c6ee6d1696b16964451cd0dca81e ← → Row 1 / 31 Exact All fields

Find ↓ ↑ commit containing: Search Patch Tree

Diff Old version New version Lines of context:

Author: Otto Kekäläinen <otto@debian.org> 2018-02-27 00:58:05
Committer: Otto Kekäläinen <otto@debian.org> 2018-02-27 00:58:05
Tags: upstream/10.1.31
Parent: de111ba604a2786cc7bd14047ccfbda23edc3840 (New upstream)
Branches: ubuntu-17.10, upstream
Follows: upstream/10.1.30
Precedes:

New upstream version 10.1.31

----- CMakeLists.txt -----
index a38654956a..b4de70a283 100644
@@ -56,9 +56,9 @@ ENDIF()
SET(CMAKE_BUILD_TYPE "RelWithDebInfo" CACHE STRING
"Choose the type of build, options are: None(CMAKE_...

-# MAX_INDEXES - Set the maximum number of indexes per
+# MAX_INDEXES - Set the maximum number of indexes per
IF (NOT MAX_INDEXES)
- SET(MAX_INDEXES 64U)
+ SET(MAX_INDEXES 64)
ENDIF(NOT MAX_INDEXES)

IF (\${MAX_INDEXES} GREATER 128)

----- CREDITS -----
index 6288c2cdea..7572f6f5dd 100644
@@ -3,8 +3,9 @@ organization registered in the USA.

The current main sponsors of the MariaDB Foundation are:

-Alibaba Cloud https://int.aliyun.com
+Alibaba Cloud https://www.alibabacloud.com
Booking.com https://www.booking.com (2013)
+Microsoft https://microsoft.com (2017)
Tencent Cloud https://cloud.tencent.com (2017)
Development Bank of Singapore https://dbs.com (2016)
IBM https://www.ibm.com (2017)

----- Docs/INFO_SRC -----
index 3deb9a5dc7..bd70a3ac3c 100644

- Use uscan to check for new upstream releases
- Download upstream tarball and import it into Debian packaging git repository
 - e.g mariadb-10.3.7.tar.gz



MariaDB release flow in Debian

- Build, **test**, fix, repeat
- Release initial revision
 - 10.3.7-1
- Fix bugs and release new revision
 - 10.3.7-2

mariadb-10.1: All files - gitk

File Edit View Help

SHA1 ID: d1ealde1c245ele60ddf6b8e18a7c924ab9b2a52

Find commit containing: Exact All fields

Search

Diff Old version New version Lines of context: 3 Ignore space chan

Author: Otto Kekäläinen <otto@debian.org> 2017-01-24 11:02:30
Committer: Otto Kekäläinen <otto@debian.org> 2017-01-24 21:20:05
Parent: [8b229fc8100fbcb0698b403dbc5a293a66fcfcf](#) (Run chown much faster on the directory)
Child: [1db2163d366cdc5fb438cc5978bf454aba16bd0a1](#) (Skip mysqld stopping if no mysqld process is running at all)
Branches: [master](#), [remotes/alioth/master](#), [remotes/github/master](#), [remotes/launchpad-otto/master](#), [remotes/origin/master](#) and many more (29)
Follows: [debian/10.1.21-1](#)
Precedes: [debian/10.1.21-2](#)

Check if /var/lib/mysql exists before running 'find' on it

This fixes the following error:


```
find: '/var/lib/mysql': No such file or directory
dpkg: error processing package mariadb-server-10.1 (--purge):
 subprocess installed post-removal script returned error exit status 1
 Errors were encountered while processing:
 mariadb-server-10.1
```

----- debian/mariadb-server-10.1.postrm -----

```
index e5cc32ec7a..29ffba2b2a 100644
@@ -60,13 +60,19 @@ if [ "$1" = "purge" -a ! \(`x /usr/sbin/mysqld -o -L /usr/s
 # directory with file system data. See #629491 for details and
 # #608938 for potential mysql-server leftovers which erroneously
 # had been renamed.
- find /var/lib/mysql -mindepth 1 \
- -not -path '/lost+found/*' -not -name 'lost+found' \
- -not -path '/lost@002bfound/*' -not -name 'lost@002bfound' \
- -delete
- # "|| true" still needed as rmdir still exits with non-zero if
- # /var/lib/mysql is a mount point
- rmdir --ignore-fail-on-non-empty /var/lib/mysql || true
+ # Attempt removal only if the directory hasn't already been removed
+ # by dpkg to avoid failing on "No such file or directory" errors.
```



Debian release: unstable → testing → stable





tracker.debian.org



mariadb-connector-c

Jump to package...

Go

[Profile](#) | [Log out](#) [Subscribe](#)

general

source: mariadb-connector-c (main)

version: 1:3.0.3-2

maintainer: Debian MySQL Maintainers (archive) [DMD]

uploaders: Daniel Schepler [DMD] – Otto Kekäläinen [DMD]

arch: any

std-ver: 4.1.4

VCS: Git (Browse, QA, changelog distribution, changelog_version, package_version)

versions

stable: 2.3.2-2

testing: 2.3.3-1

unstable: 1:3.0.3-2

versioned links

[2.3.2-2](#):

[2.3.3-1](#):

[1:3.0.3-2](#):

binaries

[libmariadb-dev](#)

[libmariadb-dev-compat](#)

[libmariadb3](#)

action needed

- ▼ Marked for autoremoval on 04 July: #880197, #880726 high
- ▼ A new upstream version is available: 3.0.5 high
- ▼ lintian reports 6 errors and 7 warnings high
- ▼ 1 bug tagged patch in the BTS normal
- ▼ 9 new commits since last upload, time to release an update? normal

testing migrations

This package is part of the ongoing testing transition known as [auto-mariadb-connector-c](#). Please avoid uploads unrelated to this transition, they would likely delay it and require supplementary work from the release managers. On the other hand, if your package has problems preventing it to migrate to testing, please fix them as soon as possible. You can probably find supplementary information in the [debian-release archives](#) or in the corresponding [release.debian.org bug](#).

excuses:

- Too young, only 1 of 5 days old
- Piuparts tested OK - <https://piuparts.debian.org/sid/source/m/mariadb-connector-c.html>
- Not considered

news

[2018-06-24] Accepted mariadb-connector-c 1:3.0.3-2 (source) into unstable (Otto Kekäläinen)

[2018-01-21] Accepted mariadb-connector-c 3.0.3-1 (source) into unstable (Otto Kekäläinen)

[2017-06-20] mariadb-connector-c 2.3.3-1 MIGRATED to testing (Debian testing watch)

[2017-06-05] Accepted mariadb-connector-c 2.3.3-1 (source amd64) into unstable (Otto Kekäläinen)

bugs

all:	11
RC:	3
I&N:	8
M&W:	0
F&P:	0

links

[homepage](#)

[lintian](#) (6, 7)

[buildd: logs, clang, reproducibility](#)

[popcon](#)

[browse source code](#)

[search source code](#)

[edit tags](#)

ubuntu

version: 1:3.0.3-2

1 bug



lintian.debian.org

mariadb-connector-c (1:3.0.3-2) – [Info](#) [Package](#) [Tracker](#) [Bugs](#) [Source](#) [Short report](#) (up-to-date, last processed by Lintian/2.5.91)

- I** [debian-watch-uses-insecure-uri](#)
▪ [ftp://ftp.osuosl.org/pub/mariadb/connector-c-\(.*\)/mariadb-connector-c-\(.*\).src.tar\.\(?:xz|bz2|gz\)](ftp://ftp.osuosl.org/pub/mariadb/connector-c-(.*)/mariadb-connector-c-(.*).src.tar\.(?:xz|bz2|gz))

- W** [dependency-is-not-multi-archified](#)
▪ libmariadb-dev-compat depends on libmariadb-dev (multi-arch: no)
▪ libmariadb-dev-compat depends on libmariadb-dev (multi-arch: no)
▪ libmariadb-dev-compat depends on libmariadb-dev (multi-arch: no)
▪ libmariadb-dev-compat depends on libmariadb-dev (multi-arch: no)

- P** [package-does-not-install-examples](#)
▪ examples/

- I** [testsuite-autopkgtest-missing](#)

libmariadb-dev

- X** [development-package-ships-elf-binary-in-path](#)
▪ [usr/bin/mariadb_config](#)
▪ [usr/bin/mariadb_config](#)
- E** [epoch-changed-but-upstream-version-did-not-go-backwards](#)
▪ 3.0.3 >= 3.0.3
▪ 3.0.3 >= 3.0.3
- I** [hardening-no-bindnow](#)
▪ [usr/bin/mariadb_config](#)
▪ [usr/bin/mariadb_config](#)
- P** [no-upstream-changelog](#)

libmariadb-dev-compat

- E** [epoch-changed-but-upstream-version-did-not-go-backwards](#)
▪ 3.0.3 >= 3.0.3
▪ 3.0.3 >= 3.0.3
- P** [no-upstream-changelog](#)

libmariadb3

- X** [binary-file-built-without-LFS-support](#)
▪ [usr/lib/i386-linux-gnu/libmariadb.so.3](#)
▪ [usr/lib/i386-linux-gnu/mariadb/plugin/dialog.so](#)



build.debian.org

Architecture	Version	Status	For	Buildd	State	Section	Logs
<i>all is not present in the architecture list set by the maintainer</i>							
amd64	1:3.0.3-2	Installed	1d 18h 57m	binet		misc	old all (1)
arm64	1:3.0.3-2	Installed	1d 18h 35m	arm-conova-02		misc	old all (1)
armel	1:3.0.3-2	Installed	1d 17h 56m	henze		misc	old all (1)
armhf	1:3.0.3-2	Installed	1d 18h 33m	henze		misc	old all (1)
i386	1:3.0.3-2	Installed	1d 18h 56m	x86-csail-01		misc	old all (1)
mips	1:3.0.3-2	Installed	1d 18h 36m	mips-aql-04		misc	old all (1)
mips64el	1:3.0.3-2	Installed	1d 18h 37m	mipsel-aql-03		misc	old all (1)
mipsel	1:3.0.3-2	Installed	1d 18h 33m	mipsel-manda-03		misc	old all (1)
ppc64el	1:3.0.3-2	Installed	1d 18h 33m	ppc64el-osuosl-01		misc	old all (1)
s390x	1:3.0.3-2	Installed	1d 18h 58m	zandonai		misc	old all (1)
alpha	1:3.0.3-2	Installed	1d 18h 48m	electro		misc	old all (1)
hppa	1:3.0.3-2	BD-Uninstallable	1d 19h 41m		out-of-date	misc	old no log
hurd-i386 ↓	1:3.0.3-2	Failed	1d 19h 2m	ironforge	out-of-date	misc	old all (1)
ia64	1:3.0.3-2	BD-Uninstallable	1d 19h 42m		out-of-date	misc	old no log
kfreebsd-amd64	1:3.0.3-2	BD-Uninstallable	1d 19h 50m		out-of-date	misc	old no log
kfreebsd-i386	1:3.0.3-2	BD-Uninstallable	1d 19h 51m		out-of-date	misc	old no log
m68k	1:3.0.3-2	Installed	1d 17h 41m	vs92		misc	old all (1)
powerpc	1:3.0.3-2	Installed	1d 18h 56m	powerpc-osuosl-01		misc	old all (1)
powerpcspe	1:3.0.3-2	Installed	1d 18h 46m	turris01		misc	old all (1)
ppc64	1:3.0.3-2	Installed	1d 19h 5m	kapitsa2		misc	old all (1)
riscv64	1:3.0.3-2	Installed	1d 18h 45m	rv-mit-03		misc	old all (1)
sh4	1:3.0.3-2	Installed	1d 18h 46m	vs94		misc	old all (1)
sparc64	1:3.0.3-2	Installed	1d 18h 46m	nvg5120		misc	old all (1)
x32	1:3.0.3-2	Installed	1d 19h 5m	x32-do-01		misc	old all (1)



Also: Launchpad.net for Ubuntu

Ubuntu
mariadb-connector-c package

[Overview](#) [Code](#) [Bugs](#) [Blueprints](#) [Translations](#) [Answers](#)

mariadb-connector-c 1:3.0.3-2 source pack

Changelog

mariadb-connector-c (1:3.0.3-2) unstable; urgency=medium

[Pirate Praveen]
* Add epoch to fix "mariadb-connector-c: ships libmariadb3 version 3.0.3-1, which is lower than the one in mariadb-10.[23]" (Closes: #888095)

[Otto Kekäläinen]
* Add upstream signing key
* Replace all instances of Priority: extra with Priority: optional
* Use secure https in all urls

-- Otto Kekäläinen <otto@debian.org> Sun, 24 Jun 2018 22:18:30 +0300

Upload details

Uploaded by: Debian MySQL Maintainers on 2018-06-25	Uploaded to: Sid
Original maintainer: Debian MySQL Maintainers	
Architectures: any	Section: misc
Urgency: Medium Urgency	

Publishing

Series	Pocket
Cosmic	release

1 → 19 of 19 results

Builds

Cosmic: amd64 arm64 armhf i386 ppc64el s390x

Ubuntu
mariadb-connector-c package

[Overview](#) [Code](#) [Bugs](#) [Blueprints](#) [Translations](#) [Answers](#)

Publishing history of mariadb-connector-c package in Ubuntu

1 → 19 of 19 results

	Date	Status	Target	Pocket	Component	Section	Version
»	2018-06-25 04:03:12 EEST	Published	Cosmic	release	universe	misc	1:3.0.3-2
»		Deleted	Cosmic	proposed	universe	misc	1:3.0.3-2
»	2018-06-25 04:03:18 EEST	Superseded	Cosmic	release	universe	misc	3.0.3-1build1
»	2018-02-13 18:24:01 EET	Published	Bionic	release	universe	misc	3.0.3-1build1
»		Deleted	Bionic	proposed	universe	misc	3.0.3-1build1
»	2018-02-05 20:12:37 EET	Superseded	Bionic	proposed	universe	misc	3.0.3-1
»	2018-02-13 18:25:28 EET	Superseded	Bionic	release	universe	misc	2.3.3-1
»	2017-06-06 09:03:15 EEST	Published	Artful	release	universe	misc	2.3.3-1
»		Deleted	Artful	proposed	universe	misc	2.3.3-1
»	2017-06-06 09:03:20 EEST	Superseded	Artful	release	universe	misc	2.3.2-2
»	2018-06-22 07:55:56 EEST	Obsolete	Zesty	release	universe	misc	2.3.2-2
»	2018-06-22 15:10:09 EEST	Deleted	Zesty	proposed	universe	misc	2.3.2-2
»	2017-01-22 13:14:15 EET	Superseded	Zesty	proposed	universe	misc	2.3.2-1
»	2017-01-22 14:48:59 EET	Superseded	Zesty	release	universe	misc	2.3.1-1
»	2017-01-23 20:10:11 EET	Deleted	Zesty	proposed	universe	misc	2.3.1-1
»	2016-11-11 07:58:26 EET	Superseded	Zesty	release	universe	misc	2.3.0-2
»	2018-01-23 02:52:03 EET	Obsolete	Yakkety	release	universe	misc	2.3.0-2
»	2018-01-23 08:10:09 EET	Deleted	Yakkety	proposed	universe	misc	2.3.0-2
»	2016-07-15 02:56:37 EEST	Superseded	Yakkety	proposed	universe	misc	2.3.0-1

First • Previous • Next ► • Last



reproducible-builds.org

mariadb-connector-c

Test Details

[notes](#)

Test history

Filter by: [amd64 i386](#) [arm64 armhf](#)

Suite and Architecture

amd64

- [2.3.2-2 in stretch](#)
- [2.3.3-1 in buster](#)
- [1:3.0.3-2 in unstable](#)

i386

- [2.3.2-2 in stretch](#)
- [2.3.3-1 in buster](#)
- [1:3.0.3-2 in unstable](#)

unreproducible at 2018-06-25 00:16 UTC

[differences \(txt\)](#)

buildinfo
rbuild (21KB)
build2 (17321)
diff

/srv/reproducible-results/rbuild-debian/tmp.pN9Muy5aPk/b1/mariadb-connector-c_3.0.3-2_i386.changes vs. /srv/reproducible-results/rbuild-debian/tmp.pN9Muy5aPk/b2/mariadb-connector-c_3.0.3-2_i386.changes 225 KB

Files

Offset 1, 6 lines modified	Offset 1, 6 lines modified	759 B
1 · 166fb6e6db113a8f29222cfac26de2a7 · 4916 · libdevel · optional · libmariadb-dev-compat_3.0.3-2_i386.deb	1 · 166fb6e6db113a8f29222cfac26de2a7 · 4916 · libdevel · optional · libmariadb-dev-compat_3.0.3-2_i386.deb	
2 · 50843c1d47d077b8b9e2c30368f8635a · 4760 · debug · optional · libmariadb-dev-dbsym_3.0.3-2_i386.deb	2 · 50843c1d47d077b8b9e2c30368f8635a · 4760 · debug · optional · libmariadb-dev-dbsym_3.0.3-2_i386.deb	
3 · 398916b4e30618dfb9aa92cd97ae902 · 151152 · libdevel · optional · libmariadb-dev_3.0.3-2_i386.deb	3 · 398916b4e30618dfb9aa92cd97ae902 · 151152 · libdevel · optional · libmariadb-dev_3.0.3-2_i386.deb	
4 · 8968c30d5ebc762871ee699e7c53113a · 347172 · debug · optional · libmariadb3-dbsym_3.0.3-2_i386.deb	4 · 8968c30d5ebc762871ee699e7c53113a · 347172 · debug · optional · libmariadb3-dbsym_3.0.3-2_i386.deb	
5 · 5226acdfdb9854efcc74827b902722ab · 109280 · libs · optional · libmariadb3_3.0.3-2_i386.deb	5 · 5226acdfdb9854efcc74827b902722ab · 109280 · libs · optional · libmariadb3_3.0.3-2_i386.deb	

libmariadb-dev_3.0.3-2_i386.deb 27.5 KB

file list

Offset 1, 3 lines modified	Offset 1, 3 lines modified	367 B
1 -rw-r--r-- 0 0 0 4 2018-06-24 19:18:30.000000 debian-binary	1 -rw-r--r-- 0 0 0 4 2018-06-24 19:18:30.000000 debian-binary	
2 -rw-r--r-- 0 0 0 1472 2018-06-24 19:18:30.000000 control.tar.xz	2 -rw-r--r-- 0 0 0 1472 2018-06-24 19:18:30.000000 control.tar.xz	
3 -rw-r--r-- 0 0 0 149488 2018-06-24 19:18:30.000000 data.tar.xz	3 -rw-r--r-- 0 0 0 149488 2018-06-24 19:18:30.000000 data.tar.xz	

control.tar.xz 98.0 B

control.tar 70.0 B

.md5sums 48.0 B

.md5sums Files differ 30.0 B

data.tar.xz 26.9 KB

data.tar 26.9 KB

file list

Offset 10, 15 lines modified	Offset 10, 15 lines modified	1.94 KB
10 -rw-r--r-- 0 root 0 root 4253 2018-01-17 11:43:58.000000 ./usr/10/include/mariadb/ma_tls.h	10 -rw-r--r-- 0 root 0 root 4253 2018-01-17 11:43:58.000000 ./usr/10/include/mariadb/ma_tls.h	
11 drwxr-xr-x 0 root 0 root 0 2018-06-24 19:18:30.000000 ./usr/11	11 drwxr-xr-x 0 root 0 root 0 2018-06-24 19:18:30.000000 ./usr/11	



piuparts.debian.org



POLICY IS YOUR FRIEND. TRUST THE POLICY. LOVE THE POLICY. OBEY THE POLICY.

General information		mariadb-10.1 in sid		
About + News	Source	Source:	mariadb-10.1	piuparts summary:
Overview	Maintainer: Debian MySQL Maintainers <pkg-mysql-maint@lists.alioth.debian.org>			Version: 1:10.1.29-6
FAQ	Uploaders: Otto Kekäläinen <otto@debian.org> , Arnaud Fontaine <arnau@debian.org> , Ondřej Surý <ondrej@debian.org>			
piuparts.d.o bugs	Binary: libmariadbclient-dev	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
piuparts bugs / ToDo	Binary: libmariadbclient-dev-compat	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
Contact us	Binary: libmariadbclient18	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
Documentation	Binary: libmariadbclient18	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
piuparts manpage	Binary: libmariadbclient-dev	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
README	Binary: libmariadbclient18	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
README_server	Binary: libmariadbclient18	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
piuparts.d.o configuration: piuparts.conf, distros.conf and scripts	Binary: libmariadbclient18	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
How to file bugs	Binary: libmariadbclient18	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
Debian policy	Binary: mariadb-client:all	piuparts-result:	successfully-tested 1:10.1.29-6	Version: 1:10.1.29-6
Available reports	Binary: mariadb-client-10.1	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
Bugs filed	Binary: mariadb-client-10.1	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
experimental	Binary: mariadb-client-core-10.1	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
sid2experimental	Binary: mariadb-common:all	piuparts-result:	successfully-tested 1:10.1.29-6	Version: 1:10.1.29-6
sid	Binary: mariadb-plugin-connect	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
sid-strict	Binary: mariadb-plugin-cracklib-password-check	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
sid-nodoc	Binary: mariadb-plugin-gssapi-client	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
testing2sid	Binary: mariadb-plugin-gssapi-server	piuparts-result:	successfully-tested 1:10.1.29-6+b1	Version: 1:10.1.29-6+b1
stable2sid				
stable22sid				
buster				



ci.debian.net

1:10.1.29-6	2018-03-04 04:30:37 UTC	—	0h 1m 57s	👎	debci log	test log	artifacts
1:10.1.29-6	2018-03-03 17:13:51 UTC	—	0h 4m 6s	👍	debci log	test log	artifacts
1:10.1.29-6	2018-02-25 10:39:56 UTC	—	0h 9m 45s	👍	debci log	test log	artifacts
1:10.1.29-6	2018-02-19 03:59:50 UTC	—	0h 10m 0s	👍	debci log	test log	artifacts
1:10.1.29-6	2018-02-18 20:00:29 UTC	—	0h 10m 1s	👍	debci log	test log	artifacts

MariaDB and MySQL Packaging Team > mariadb-10.1 > Repository

master mariadb-10.1 / debian / tests History Find file ⌂

d/t/upstream: skip func_regex_pcre on s390x ... Christian Ehrhardt authored 8 months ago 34222e24 ⌂

Name	Last commit	Last update
control	Update strings 10.0 -> 10.1 after importing 10.1.20	1 year ago
smoke	Update strings 10.0 -> 10.1 after importing 10.1.20	1 year ago
upstream	d/t/upstream: skip func_regex_pcre on s390x	7 months ago



Also: autopkgtest.ubuntu.com

mariadb-10.1

	zesty	artful	bionic	cosmic
amd64	✓ pass	✗ fail	✗ fail	✗ fail
arm64	✓ pass	✗ fail	✗ fail	✗ fail
armhf	✓ pass	✗ fail	✗ fail	✗ fail
i386	✓ pass	✗ fail	✗ fail	✗ fail
ppc64el	✓ pass	✗ fail	✗ fail	✗ fail
s390x	✓ pass	✗ fail	✗ fail	✗ fail



Last but not least: bugs.debian.org

Debian Bug report logs: Bugs in source package mariadb-connector-c

Maintainers for mariadb-connector-c are [Debian MySQL Maintainers <pkg-mysql-maint@lists.alioth.debian.org>](#).

You may want to refer to the following individual bug pages: [libmariadb-dev](#), [libmariadb-dev-compat](#), [libmariadb2](#), [libmariadb3](#).

You might like to refer to the [mariadb-connector-c package page](#), or to the [Package Tracking System](#).

If you find a bug not listed here, please [report it](#).

- [Outstanding bugs -- Serious \(policy violations or makes package unfit for release\); Patch Available](#) (1 bug)
- [Outstanding bugs -- Serious \(policy violations or makes package unfit for release\); Unclassified](#) (2 bugs)
- [Outstanding bugs -- Important bugs; Unclassified](#) (5 bugs)
- [Outstanding bugs -- Normal bugs; Unclassified](#) (3 bugs)
- [Resolved bugs -- Serious \(policy violations or makes package unfit for release\)](#) (1 bug)

Outstanding bugs -- Serious (policy violations or makes package unfit for release); Patch Available (1 bug)

- [#880197 \[S|+.\] \[src:mariadb-connector-c\] mariadb-connector-c: Disable internal Dbug support as a source of crashes](#)

Outstanding bugs -- Serious (policy violations or makes package unfit for release); Unclassified (2 bugs)

- [#880726 \[S|.|*\] \[libmariadb-dev\] libmariadb-dev: fails to install - missing replace](#)
- [#881073 \[S|.|*\] \[libmariadb-dev\] libmariadb-dev: mariadb_config always returns the help text](#)

Outstanding bugs -- Important bugs; Unclassified (5 bugs)


- [#868131 \[i|.|_\] \[libmariadb-dev-compat\] libmariadb-dev-compat: symlinks for static libraries point to shared objects](#)
- [#877845 \[i|.|_\] \[libmariadb-dev-compat\] libmariadb-dev-compat: Cannot install static libmysqlclient with libmysql++-dev](#)
- [#878039 \[i|.|_\] \[libmariadb-dev-compat\] libmariadb-dev-compat: Static library symlinked to dynamic one, compile error](#)
- [#880390 \[i|.|_\] \[libmariadb-dev\] libmariadb-dev: File conflict in Multi-Arch: same package](#)
- [#888392 \[i|u.\] \[src:mariadb-connector-c\] mariadb-connector-c: FTBFS on non-Linux: version script unused](#)

Outstanding bugs -- Normal bugs; Unclassified (3 bugs)

- [#877622 \[n|.|_\] \[libmariadb-dev\] libmariadb-dev: New upstream release 3.0.2](#)
- [#890962 \[n|.|_\] \[libmariadb-dev\] libmariadb-dev: Cannot run mysql_config & mariadb_config when dpkg-dev isn't installed](#)
- [#890966 \[n|.|_\] \[libmariadb-dev\] libmariadb-dev: mysql_config doesn't accept arguments](#)



MariaDB in Debian





Also: launchpad.net



Ubuntu

mariadb-10.1 package

Overview Code Bugs Blueprints Translations Answers

Search Advanced search

1 → 13 of 13 results

First • Previous • Next ▶ • Last

	Order by:	Importance	Status	Number	Title	Package/Project/Series name	Heat
		CRITICAL	NEW	#1757107	Security update 10.1.30-0ubuntu0.17.10.1 regresses smoke test, mariadb not started upon install	mariadb-10.1 (Ubuntu)	🔥 260 🐾
		MEDIUM	NEW	#1751920	USN-3537-2: partially applies to MariaDB too	mariadb-10.1 (Ubuntu)	🔥 256 🐾
		UNDECIDED	CONFIRMED	#1574458	Logs.var.log.mysql.error.log.txt contains usernames and passwords	mariadb-10.1 (Ubuntu)	🔥 264 🐾
		UNDECIDED	CONFIRMED	#1654575	mysqld can end up listening on public interfaces by "default"	mariadb-10.1 (Ubuntu)	🔥 412 🐾
		UNDECIDED	CONFIRMED	#1683229	package mariadb-server-10.1 failed to install since mysql-server-5.7 isn't purged	mariadb-10.1 (Ubuntu)	🔥 28 🐾
		UNDECIDED	NEW	#1711949	New release 10.2.8	mariadb-10.1 (Ubuntu)	🔥 6 🐾
		UNDECIDED	FIX COMMITTED	#1723947	Current upload for 10.1.28-1 fails dep8 unittest on s390x	mariadb-10.1 (Ubuntu)	🔥 10 🐾
		UNDECIDED	INCOMPLETE	#1757943	package mariadb-server-10.1 (not installed) failed to install/upgrade: new mariadb-server-10.1 package pre-installation script subprocess returned error exit status 1	mariadb-10.1 (Ubuntu)	🔥 10 🐾
		UNDECIDED	NEW	#1770928	package mariadb-server-10.1 1:10.1.29-6 failed to install/upgrade: new mariadb-server-10.1 package pre-installation script subprocess returned error exit status 1	mariadb-10.1 (Ubuntu)	🔥 6 🐾

Otto Kekäläinen (otto) • Log Out

[Report a bug](#) ➔

[Ask a question](#) ➔

[Subscribe to bug mail](#)

[Edit bug mail](#)

6 New bugs

13 Open bugs
0 In-progress bugs
1 Critical bug
0 High importance bugs

1 Bug assigned to me
1 Bug reported by me
Bugs affecting me

Bugs fixed elsewhere
1 Bug with a patch
2 Open CVE bugs

"mariadb-10.1" versions published in Ubuntu

Cosmic-proposed (1:10.1.29-6build1): universe/misc
Cosmic (1:10.1.29-6): universe/misc
Bionic (1:10.1.29-6): universe/misc
Artful-updates (10.1.30-0ubuntu0.17.10.1): universe/misc
Artful-security (10.1.30-0ubuntu0.17.10.1): universe/misc
Artful (10.1.25-1):



Where are we now?

<https://qa.debian.org/developer.php?email=pkg-mysql-maint%40lists.alioth.debian.org>



Please help:

26 patches in
[salsa.debian.org/mariadb-team/maria
db-10.1/tree/stretch/debian/patches](https://salsa.debian.org/mariadb-team/maria-db-10.1/tree/stretch/debian/patches)

21 patches (mostly same) in
jira.mariadb.org/browse/MDEV-14900